

HORUS Tremor4 Reticle

HORUS H322 Reticle

Bushnell

ELITE TACTICAL

LMSS 2.0 8-40x60mm

SPECIAL OPERATIONS KIT (S.O.K.)

LMSS 2.0 - S.O.K. Includes:

- The Evolution of the Bushnell **L**ightweight **M**odular **S**potting **S**cope with user control enhancements such as the Throwhammer power change throw lever, improved environmental coatings on exterior lens surfaces and updated HORUS reticles.
- Badger Ordnance ARC LIGHT 521-01 NV & Accessory Integration System
- ANGLE COSINE INDICATOR Model ACIMIL-A2 by Sniper Tools Design Co.
  OR ANGLE DEGREE INDICATOR Model ADIMIL-A2
- Lirces 3 ISC V2 – Internal Scope Cap with Removable Honeycomb filter ARD, Adjustable IRIS & Removable Lens Filter
- ISC to LMSS 2.0 Adapter – Anodized aluminum threaded adapter for direct connection
- IR Filter for ISC – Sapphire coated optical flat; 3mm Thick; Light transmission details below
  - 420-680nm T>95%
  - 800-1,080nm T<5%
- Also available are an Armageddon Gear Carry Bag and/or Pelican Hardcase

FEATURES

- **ED PRIME GLASS & FMC UWB COATINGS** Bushnell's highest quality glass and Multi coated optics with ultra wide band coatings enhance red and blue light that is usually available at dusk dawn providing higher light transmission at those times.
- **COMPACT & LIGHTWEIGHT** HDOS systems gives a low profile, lightweight construction without sacrificing resolution and contrast.
- **EXO™ BARRIER PROTECTION** EXO Barrier bonds to exterior lens surfaces, and repels water, oil, fog, dust and debris making sure you can see your target in any condition.
- **BASIC DIMENSIONS** weight: 1,053g; length: 323mm (without accessories)

ANTI WATER+FOG EXO BARRIER SMUDGE+DEBRIS

On all exterior glass surfaces to ensure a clear picture

WATERPROOF IPX7 CONSTRUCTION

Gasket sealed and argon purged for an IPX7 waterproof rating

ULTRA WIDE BAND COATING

Enhances available light at dusk and dawn

EXTRA-LOW ED PRIME GLASS DISPERSION

Brings out rich color and the finest details

FULLY-MULTI COATED OPTICS

Maximizes light transmission on all glass surfaces

SPECIAL OPERATIONS KIT (S.O.K.): INCLUDED ACCESSORIES

LIRCES 3 ISC V2 – INTERNAL SCOPE CAP with Adjustable Iris, Honeycomb A.R.D.
(images taken from back/scope side to clearly illustrate Iris function)

LIRCES 3 ISC V2 | SAPPHIRE IR LASER FILTER | DIRECT THREAD ADAPTER

SNIPER TOOLS DESIGN CO.
ANGLE DEGREES INDICATOR
OR AVAILABLE IN COSINE SCALE

BADGER ORDNANCE
ARC LIGHT RAIL KIT
MODEL: 521-01

ARMAGGEDON GEAR
CARRY BAG
(final product will differ in appearance)

Bushnell

ELITE TACTICAL

LMSS 2.0 8-40x60mm

SPECIAL OPERATIONS KIT (S.O.K.)

NOTEA: Above body color is FDE. Production units are FDE as-shown. Samples are light gray.
Tripod shown is not part of the standard S.O.K.

Bushnell

ELITE TACTICAL

LMSS 2.0 8-40x60mm

SPECIAL OPERATIONS KIT (S.O.K.)

Commercial Specifications

MAGNIFICATION X OBJ. LENS	8-40X60MM
EYEPIECE ANGLE	STRAIGHT
FIELD OF VIEW (FT @1000 YD)	250FT @ 8X TO 50FT @ 40X
FIELD OF VIEW (M @ 1000M)	83M @ 8X TO 17M @ 40X
LENGTH	12.7IN / 323MM
WEIGHT	37.1OZ / 1053G
EYE RELIEF	30MM
EXIT PUPIL (AT MINIMUM)	5MM
EXIT PUPIL (AT MAXIMUM)	1.5MM
CLOSE FOCUS	30FT / 9.1M
EYE CUP	RUBBER SLEEVED DETENTED TWIST-UP
LENS COATING	FULLY MULTI-COATED
PROTECTIVE LENS COATING	EXO-BARRIER
FOCUS SYSTEM	STANDARD / IN-LINE
WATERPROOFING	IPX7
ED PRIME GLASS	YES
RETICLE	HORUS TREMOR4 OR HORUS H322
COLOR	FLAT DARK EARTH WITH BLACK ACCENTS

Bushnell

ELITE TACTICAL

LMSS 2.0 8-40x60mm

SPECIAL OPERATIONS KIT (S.O.K.)

Thermal & Night Vision

Compatibility

THE LMSS 2.0 WITH BADGER ARC LIGHT RAIL KIT PROVIDES FOR A FORWARD SIGHT HEIGHT MOUNTING DIMENSION OF 1.54 ± .05 INCHES (37.85-40.39 MM).

BELOW ARE SOME RECOMMENDED NVD'S. PROVIDED THE ITEM MEETS AN/PVS TYPE MOUNTING STANDARDS AND IS SIZED 14 TO 30, IT SHOULD BE COMPATIBLE FITMENT WISE. OTHER CONSIDERATIONS DEAL WITH MAGNIFICATION RANGE COMPATIBILITY AND ELASTOMER NVD TO DAY-SCOPE RUBBER SHROUD.

NIGHT VISION (CNVD)

- EOTECH/L3 M2124-LR AN/PVS-24
- FLIR AN/PVS-22
- FLIR AN/PVS-27 MUNS
- KNIGHTS ARMAMENT AN/PVS-30

IR ILLUMINATORS

- NIGHT OPTICS / BUSHNELL FIR-I
- STEINER SPIR
- TNVS TORCH PRO MK.II

THERMAL (CNVD)

- L3 LWTS
- TRIJICON SNIPE-IR

THERMAL (PARALLEL MOUNT)

- FLIR THERMOSIGHT PRO PTS736
- TRIJICON IR HUNTER MK3